
StoneSheet Spot™ Pediatric Random-Sample Urine Analysis

Directions: Enter information in the yellow fields. Use tab key to move to the next field.

Designed for use with random (spot) urine specimens. For 24-hour collections, the StoneSheet-24[™] is recommended.

Patient	Last Name		First Name		Date of Birth	Medical Record No	
i ationt							
Data	Rubble		Barney		1/10/2000	654321	
	Height	Weight	Serum Creatinine	Sex	Pubertal?	Date of study	Age
	95	15	0.4	Male	No	1/14/2004	4
	cm	kg	mg/dl	Use pull	-down menus		years
Random	Calcium	Creatinine	Uric Acid	Oxalate	Cystine	Citrate	
Urine Collection	8	17	3	0.9	0	12	
Results	mg/dl	mg/dl	mg/dl	mg/dl	mg/dl	mg/dl	

Standardized Results	Calcium/ Creatinine	Uric Acid/ GFR	Oxalate/ Creatinine	Cystine/ Creatinine	Citrate/ Creatinine	
	0.47	0.07	0.05		0.71	
Units	mg/mg	mg/dl GFR	mg/mg	mg/mg	mg/mg	
Reference Value ¹	<0.2	<0.57	<0.1	<0.02	>0.51	



Creatinine			_
Clearance	Estimated Creatinine Clearance	131 ml/min/1.73 m ²	(Schwartz Method ²)
	Body Surface Area	0.63 m²	
			_

Spreadsheet developed by Robert S. Gillespie, M.D. Copyright 2002 by Robert S. Gillespie. May not be sold or distributed without permission. pedirob@yahoo.com

Release 1.0



Driscoll Children's Hospital Corpus Christi, Texas

Pediatric Urine Analysis

654321 1/10/2000 **Rubble Barney**

¹Stapleton FB, Seminars in Nephrology 1996;16(5):389-97.

²Schwartz GJ, Pediatr Clin North Am 1987; 34:571.